

Extended Bowel Preparation Instructions

You are booked in for a Colonoscopy.

Your Procedure Date is: ____/____/____ Time: 12:00 – 04:30hrs

Mornington Endoscopy, Suite 1, 350 Main Street, Mornington, 5973 4444

☐

Rosebud Endoscopy, 20 Boneo Road, Rosebud, 5986 4444

☐

The Bays hospital, 262 Main Street, Mornington, 5975 2009

☐

Why is bowel preparation required?

Bowel preparation is a very important part of colonoscopic examination and you are required to take the preparation as instructed to clean your bowel prior to your procedure. This allows the doctor to examine the bowel and look for small polyps or lesions that can enlarge overtime if not detected early.

YOU WILL NEED TO PURCHASE FROM YOUR LOCAL PHARMACY – NO SCRIPT REQUIRED:

- **1 Box of PicoPrep** - contains two/three sachets (you need three sachets)
- **1 Box of Moviprep** - contains four sachets (2x Part A and 2x Part B)

Please ensure you follow the instructions below and disregard the instructions in the insert included in the PicoPrep/MoviPrep box.

3 days prior to your procedure

Please eat a white diet for breakfast, lunch and dinner including any snacks (refer to the permitted foods table in the 'white diet patient information sheet')

2 days prior to your procedure

Please eat a white diet for breakfast, lunch and dinner including any snacks (refer to the permitted foods table in the 'white diet patient information sheet')

- **At 6pm: FIRST DOSE of PicoPrep:** Add the entire contents of ONE sachet of PicoPrep to approx. 250ml of warm water and stir until dissolved. Drink the PicoPrep solution in 1/3 increments 30 minutes apart. After each 1/3 of the solution drink approx. 250ml of water to which half a hydralyte tablet has been added.
*You can prepare the drink 30 minutes prior to allow cooling.

•

The day prior to your procedure

- **Up until 12pm** - breakfast & lunch (white diet foods only).
- **From 12pm - no more food** – CLEAR FLUIDS ONLY (refer to the list of approved fluids in the 'white diet patient information sheet').
- **At 1pm - SECOND DOSE of PicoPrep:** Repeat as above.
- **At 3pm - FIRST DOSE of MoviPrep:** Add the contents of BOTH sachet A and B into 1 Litre of water and stir until dissolved - this may take up to 5 minutes and the solution may have a hazy appearance. Consume over 1-2 hours aiming to drink a glass every fifteen minutes.
- **At 5pm - THIRD DOSE of PicoPrep:** Repeat as above.

In addition to the preparation, you can continue to drink clear fluids from the approved clear fluids list.

The day of your procedure

- **At 7am – SECOND DOSE of MoviPrep:** Repeat as above.

Have **NOTHING** to drink – NO clear fluids (including chewing gum) for a minimum of **SIX HOURS** before your procedure time. However, you can take **small** sips of water up until 2 hours prior to your procedure. Regular medications can be taken with a small sip of water unless otherwise instructed by your GP or Gastroenterologist.

Extended Bowel Preparation Instructions

If at any stage you experience symptoms such as nausea or vomiting, stop taking the preparation for 30 to 60mins then recommence. If you are still feeling unwell, please contact our rooms on 03 5973 4444 and ask to speak to a nurse for further advice. If outside business hours, please contact Dr Dinh via SMS **only** on 04 2727 8989.

- Headaches can be a common side effect of the preparation; please note you can take paracetamol with a small sip of water up to 3 hours prior to your procedure
- The preparation can cause dehydration, which in some instances can lead to dizziness and fainting. It is important you take precautionary measures when you stand up (particularly from a lying position eg. sit first to ensure you are not dizzy then stand slowly). If you normally use mobility aids such as a walker/stick please ensure you use them.
- Baby wipes (for example Curash Baby care simple water wipes) can be used in place of toilet paper can help decrease anal irritation caused by excessive wiping. Dabbing rather than wiping can also help reduce irritation to the area.

Please ensure you have someone who is able to drive you home and that you have someone to stay with you for 24 hours post procedure. Please note your procedure will be cancelled if you do not have an escort to drive you home or somebody to stay with you. Please ask your driver to enter the facility and wait with you until you are admitted by one of our team

We ask that you do not bring valuables with you as we cannot be responsible for their safe keeping. You will be required to make payment prior to your procedure, so please only bring the correct amount of cash or your card. (Please note there is a 1.2% surcharge if paying by card).

Please take the time to watch the video on our website about colonoscopies, this will provide you with a greater understanding of what will occur on the day. <https://www.gastromedicine.com.au/colonoscopy/>